


<b>Technical Data Sheet</b> <b>Heavy Aromatics:Garosol 350</b>		 <b>Ganga Rasayanie (P) Ltd.</b> 50 B Harish Mukherjee Road, Kolkata – 700025, INDIA Fax: 91 33 24237523 / 22 24933942 Contact: Amit Porwal Mob: 919903227274 Email: ap@gangarasayanie.com Website: www.gangarasayanie.com www.solventnaphtha.com
Industrial Name	Aromatic Solvent C14+	
Trade Name	GaroMASOL 350	
CAS No	64742-94-5	
Doc No & Date	203.00 / Amendment 2	
Updated on	03.01.2015	

<b>Description</b>	Mixture of C14-C18 high molecular aromatic hydrocarbons with high solvency. It has high flash point and exempted from flammability labeling by IATA for transportation. Low Hazardous Air Pollutants & Environmental friendly solvent.
<b>Application</b>	<ol style="list-style-type: none"> <li>1. Neem Pesticides, Agrochemicals</li> <li>2. Oil Field Chemicals &amp; Fuel Additives</li> <li>3. Specialty Chemicals, Water Treatment Chemicals, Rubber Process Oils, Plasticizer</li> <li>4. Emulsifiers &amp; Surfactants</li> </ol>

### Specification

Property	Units	Minimum Value	Maximum Value	Typical Value	Test Method
Distillation Range	°C				GRPL/TM/004(ASTM D 86)
- Initial Boiling Point		280		300	
- At 70 °C				360	
Flash Point	°C	150		175	GRPL/TM/009(ASTM D 93)
Mixed Aniline Point	°C		20	17	GRPL/TM/010(ASTM D 611)
Aromatic Content	Wt%	90		95	GRPL/TM/007(GC)
Colour & Appearance		Brown free from foreign material			Visual
Doctor Test		Must Pass		Pass	ASTM D 4952
Specific Gravity at 30C		1.02		1.04	GRPL/TM/003 (ASTM D 4052)

Please visit our website: [www.solventnaphtha.com](http://www.solventnaphtha.com) or contact our sales office for product details, applications, MSDS and Specifications of all our solvents. We also make solvents as per Customer's Specification

**Disclaimer:** The above specifications are typical and may vary within limits from batch to batch. GRPL does not guarantee the typical (or other non-specifications) values. Analyses are performed on representative samples and not the actual product shipped. We based the information on data believed to be reliable on the date compiled. But we do not represent, warrant or otherwise guarantee expressly or implied the merchantability, fitness for a particular purpose, suitability, accuracy, reliability or completeness of this information or the products, material or process described. The user is solely responsible for all determination regarding any use of the material or product in its territories of interest.