Technica	al Data Sheet	Ganga
Heavy A	romatics: GaroSOL 150	Rasayanie (P) Ltd.
Industrial Name	Solvent Naphtha, Aromatic Solvent C10	50 B Harish Mukherjee Road, Kolkata – 700025, INDIA
Trade Name	Solvesso 150, Shellsol AB	Fax: 91 33 24237523 / 22 24933942
CAS No	64742-94-5	Contact: Amit Porwal Mob: 919903227274
Doc No & Date	202.00 A2.1	Email: ap@gangarasayanie.com
Updated on	03.01.2015	Website: www.gangarasayanie.com www.solventnaphtha.com

Description	C10 Aromatic hydrocarbons with high solvency. It has high flash point. Low Hazardous Air Pollutants & Environmental friendly solvent. High boiling point.
Application	<ol> <li>High Build Coatings</li> <li>PVC &amp; Screen Printing Inks</li> <li>Agrochemicals</li> <li>Oil Field Chemicals</li> <li>Specialty Chemicals like water-processing chemicals.</li> </ol>

## Specification

Property	Units	Minimum Value	Maximum Value	Typical Value	Test Method
Distillation Range	°C				GRPL/TM/004(ASTM D 86)
- Initial Boiling Point		175	190	180	
- Dry Point		210	225	220	
Flash Point	°C	62		65	GRPL/TM/009(ASTM D 93)
Mixed Aniline Point	°C		15	14	GRPL/TM/010(ASTM D 611)
Aromatic Content	Wt%	98		99	GRPL/TM/007(GC)
Appearance	Clear	Colourless fre	e from foreign	material	Visual
Colour	APHA		50	25	GRPL/TM/002
Doctor Test		Must Pass		Pass	ASTM D 4952
Specific Gravity at 30C		0.880	0.905	0.890	GRPL/TM/003 (ASTM D 4052)

Please visit our website: <u>www.solventnaphtha.com</u> or contact our sales office for product details, applications, MSDS and Specifications of all our solvents. We also make solvents as per Customer's Specification

## Disclaimer:

The above specifications are typical and may vary within limits from batch to batch. GRPL does not guarantee the typical (or other nonspecifications) values. Analyses are performed on representative samples and not the actual product shipped. We based the information on data believed to be reliable on the date compiled. But we do not represent, warrant or otherwise guarantee expressly or implied the merchantability, fitness for a particular purpose, suitability, accuracy, reliability or completeness of this information or the products, material or process described. The user is solely responsible for all determination regarding any use of the material or product in its territories of interest.