


Technical Data Sheet Heavy Aromatics: GaroSOL 180		 Ganga Rasayanie (P) Ltd. 50 B Harish Mukherjee Road, Kolkata – 700025, INDIA Fax: 91 33 24237523 / 22 24933942 Contact: Amit Porwal Mob: 919903227274 Email: ap@gangarasayanie.com Website: www.gangarasayanie.com www.solventnaphtha.com
Industrial Name	Solvent Naphtha, Aromatic Solvent C10+	
Trade Name		
CAS No	64742-94-5	
Doc No & Date	202.00 A2.1	
Updated on	03.01.2015	

Description	C11+ Aromatic hydrocarbons with high solvency. It has high flash point. Low Hazardous Air Pollutants & Environmental friendly solvent. High boiling point.
Application	<ol style="list-style-type: none"> 1. High Build Coatings 2. PVC & Screen Printing Inks 3. Agrochemicals 4. Oil Field Chemicals 5. Specialty Chemicals like water-processing chemicals.

Specification

Property	Units	Minimum Value	Maximum Value	Typical Value	Test Method
Distillation Range	°C				GRPL/TM/004(ASTM D 86)
- Initial Boiling Point		195		200	
- Dry Point			280	260	
Flash Point	°C	75		80	GRPL/TM/009(ASTM D 93)
Mixed Aniline Point	°C		16	15	GRPL/TM/010(ASTM D 611)
Aromatic Content	Wt%	98		99	GRPL/TM/007(GC)
Appearance	Clear Colourless to Slight Pale free from foreign material				Visual
Colour	APHA		200	150	GRPL/TM/002
Doctor Test		Must Pass		Pass	ASTM D 4952
Specific Gravity at 30C			0.945	0.935	GRPL/TM/003 (ASTM D 4052)

Please visit our website: www.solventnaphtha.com or contact our sales office for product details, applications, MSDS and Specifications of all our solvents. We also make solvents as per Customer's Specification

Disclaimer:

The above specifications are typical and may vary within limits from batch to batch. GRPL does not guarantee the typical (or other non-specifications) values. Analyses are performed on representative samples and not the actual product shipped. We based the information on data believed to be reliable on the date compiled. But we do not represent, warrant or otherwise guarantee expressly or implied the merchantability, fitness for a particular purpose, suitability, accuracy, reliability or completeness of this information or the products, material or process described. The user is solely responsible for all determination regarding any use of the material or product in its territories of interest.