


Technical Data Sheet Heavy Aromatics: GaroSOL 200		 Ganga Rasayanie (P) Ltd. 50 B Harish Mukherjee Road, Kolkata – 700025, INDIA Fax: 91 33 24237523 / 22 24933942 Contact: Amit Porwal Mob: 919903227274 Email: ap@gangarasayanie.com Website: www.gangarasayanie.com www.solventnaphtha.com
Industrial Name	Solvent Naphtha, Aromatic Solvent C12	
Trade Name	Solvesso 200	
CAS No	64742-94-5	
Doc No & Date	203.00	
Updated on	03.01.2015	

Description	Mixture of C12-C14 hydrocarbons with high solvency. It has high flash point and exempted from flammability labeling by IATA for transportation. Low Hazardous Air Pollutants & Environmental friendly solvent. High boiling point and slow evaporation.
Application	<ol style="list-style-type: none"> 1. High Build Coatings 2. PVC & Screen Printing Inks 3. Agrochemicals 4. Oil Field Chemicals & Fuel Additives 5. Specialty Chemicals, Water Treatment Chemicals, Process Oils 6. Emulsifiers & Surfactants 7. Additives

Specification

Property	Units	Minimum Value	Maximum Value	Typical Value	Test Method
Distillation Range	°C				GRPL/TM/004(ASTM D 86)
- Initial Boiling Point		215	235	220	
- Dry Point			320	305	
Flash Point	°C	95		98	GRPL/TM/009(ASTM D 93)
Mixed Aniline Point	°C		17	15	GRPL/TM/010(ASTM D 611)
Aromatic Content	Wt%	98		99	GRPL/TM/007(GC)
Appearance	Clear Yellow Coloured free from foreign material				Visual
Colour	APHA			250	GRPL/TM/002
Specific Gravity at 30C		0.960	0.980	0.970	GRPL/TM/003 (ASTM D 4052)
Naphthalene Content%			12	8	

Please visit our website: www.solventnaphtha.com or contact our sales office for product details, applications, MSDS and Specifications of all our solvents. We also make solvents as per Customer's Specification

Disclaimer: The above specifications are typical and may vary within limits from batch to batch. GRPL does not guarantee the typical (or other non-specifications) values. Analyses are performed on representative samples and not the actual product shipped. We based the information on data believed to be reliable on the date compiled. But we do not represent, warrant or otherwise guarantee expressly or implied the merchantability, fitness for a particular purpose, suitability, accuracy, reliability or completeness of this information or the products, material or process described. The user is solely responsible for all determination regarding any use of the material or product in its territories of interest.